

G 4000 OH servo press

Kärcher's most powerful pressure non-commercial washer!

Standard accessories:

- Detergent suction hose With filter
- Rubber Industrial-grade High Pressure Hose 50 ft
- Industrial-grade
- stainless steel spray wand with Quick Connect adapter and integrated Remote Pressure Control
- Integrated Hose
- Trigger Gun and Spray Wand Holder
- Quick Connect Kärcher standard nozzles 0°
 - 15°
 - 25°
 - 40°
- Detergent



Order number: 1.194-801.0

Technical Data

Operating Pressure PSI	4000
Water Volume Gal/min	3,6
Maximum water inlet Temp (°F)	104
Power (hp)	13
Engine type	390cc Honda GX 390
Weight w/o accessories (lbs)	122
Dimensions (L x W x H) (mm)	36,5x23,5x30,5

G 4000 OH servo press



makes a difference

Details

The G 4000 OH, German engineered from the ground up, is a high-performance pressure washer designed for heavy-duty use. No job is too difficult for the G 4000 OH! It has many industry-leading features, such as a 390cc Honda GX Series engine and Kärcher's high-performance industrial-grade pump with brass pump head developed exclusively by our German engineers. Our customers asked us to develop a pressure control system that is as easy to use, resulting in our Remote Pressure Control, exclusive to the G 4000 OH. This feature allows you to work continuously without having to stop each time you want to adjust the water pressure! Other advanced features the professional will appreciate on this top-of-the-line unit include a stainless steel spray wand, 12" pneumatic tires with metal wheels, a 50 ft. rubber hose and a complete set of Kärcher's patented Pro-Style quick connect nozzles. The G 4000 OH sports a durable, chip-resistant black crinkle finish and offers the most advanced features in its category...the perfect solution for those who demand the absolute highest level of cleaning performance!

HD-Schläuche US

50 ft. Extension High-Pressure Hose

Tired of having to move your pressure washer so often while you clean? Extend your working range with our 50 feet extension hose! Constructed of commercial grade rubber, this high pressure hose extension withstands pressure up to 4000 PSI and resists kinks. Designed to work with Karcher G-, K- and HD-series gasoline pressure washers. Includes required adapter.



Order number **2.640-852.0**

Special applications

Suction hose with check valve

Order number **4.440-238.0**

