
HDS 2.3/12 C Ed



Contemp. ecolefficiency mode, easy 1-button operation, integrated tanks, built-in hose/cable storage, accessory compartment, large wheels and steering roller.

Standard accessories:

- Low fuel cut-out
- Exhaust gas temperature limiter
- Three piston axial pump with stainless steel pistons
- Triple nozzle (0°/25°/40°)
 Manual
- Trigger gun Easy-press trigger gun
- Two-way nozzle
- Pressure switch control
- Trigger gun with soft grip
- Integral fuel and detergent tank
- Soft damping system (SDS)





Technical Data

10011110011 2010	
Water Volume GPM	max. 2.3
Operating Pressure PSI	max. 1100
Power	-
Voltage Ph/V/Hz	1/110-120/60
Connected load (hp)	2.8
Ship Weight (with accessories) (lbs)	270
Dimensions (L x W x H) (inch)	42x26x36

Details

Entry level model in the hot water compact class. Unique eco!efficiency mode guarantees environmentally friendly and economical operation. User-friendly handling through central one-button operation. Excellent mobility thanks to large wheels and steering roller. Resistant chassis with integrated tanks for cleaning agent and fuel. Integrated hose and power cable storage, as well as accessory compartment for tools and nozzles.

- Vehicle cleaning
- •
- Workshop cleaning
- Façade cleaning
- •
- .
- •

Features & Benefits

eco!efficiency mode

Economical and environmentally friendly – even during longer periods of use.

eco!efficiency mode - economical and environmentally friendly, even during longer periods of use.

Reduces fuel consumption and CO2 emissions by 20%.

Accurate cleaning agent dosing unit with clear rinse function.

Economical

Economical and environmentally friendly – even during longer periods of use.

eco!efficiency mode - economical and environmentally friendly, even during longer periods of use.

Reduces fuel consumption and CO2 emissions by 20%.

Accurate cleaning agent dosing unit with clear rinse function.

Storage

Lockable accessory compartment for nozzles, tools, etc.

Large hose hook or hose reel.

Integrated cable hook and spray lance holder.

Large tilting aid

For easy tilting when negotiating obstacles such as steps and kerbs.

Large integrated handles in the chassis.

"Jogger" design with large wheels and castors.

Integrated tilting aid for effortlessly negotiating obstacles such as steps and kerbs.

Mobility

For easy tilting when negotiating obstacles such as steps and kerbs.

Large integrated handles in the chassis.

"Jogger" design with large wheels and castors.

Integrated tilting aid for effortlessly negotiating obstacles such as steps and kerbs.

Large tank openings with integrated filling chute

For easy filling.

Intuitive operation with single-button selector switch.

Ease of use

For easy filling.

Intuitive operation with single-button selector switch.

Accessories

Adapters

Adapter M22 - Swivel

Order number 4.424-004.0



Automatic, self-winding hose reels

Add-on kit hose reel plastics

Order number 6.392-975.0



Add-on kit hose reel

Order number 6.392-965.0



Cup foam lance

Cup foam lance

Order number 6.394-668.0



Double lance

Double lance 960 mm

Order number 6.394-665.0



Gutter cleaner

Gutter cleaning lance

Order number 2.642-305.0



Longlife 400

High pressure hose DN 6, 10 m, Longlife Order number 6.391-882.0



High-pressure hose packaged

Order number 6.391-351.0



High-pressure hose Longlife 400, 20 m DN 8, AVS trigger gun connector

Order number 6.390-208.0



Longlife 400 with unions on both sides

High-pressure hose 1.5 m, DN 8, including ^c connectors Order number 6.390-178.0



High pressure hose DN 6, 10 m, drehbar,I

Order number 6.391-883.0



High-pressure hose packaged

Order number 6.391-354.0



Longlife 400 with unions on both sides

High-pressure hose Longlife 400, 30 m DN 8, including rotary coupling

Order number 6.390-294.0



Longlife food design with screw connections at both ends

High pressure hose food DN 8 / 10 m

Order number 6.391-864.0



High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling

Order number 6.391-887.0



Power nozzle spray angle 25°

25° power nozzle for applying cleaning agent

Order number 2.884-521.0



Quick connect

Quick coupling

Order number 6.401-458.0



Plug nipple

Order number 6.401-459.0



Rotary coupling

Rotary coupling

Order number 4.401-091.0



Special hoses

High-pressure hose 1.5 m, DN 8, including connectors, outlet bend Order number 6.388-886.0



Spray lance

Lance 250 mm, non-rotatable Order number 4.760-667.0



Standard

High-pressure hose, 10 m, DN 6, 300 bar, AVS trigger gun connection Order number 6.391-875.0



Standard with unions on both sides

High-pressure hose packaged

Order number 6.391-342.0



High-pressure hose, 30 m DN 8, including rotary coupling Order number 6.390-293.0



Trigger guns

High end high-pressure trigger gun Order number 4.775-823.0

