Version No. 18201-15A Issue Date: November 24, 2015 Supersedes Date: October 8,2014 OSHA HCS-2012 / GHS

# Section 1: IDENTIFICATION

**Product Name:** Simple Green® House & Siding Cleaner (Pressure Washer Concentrate)

Additional Names: Simple Green® Pro Grade House & Siding Cleaner (Pressure Washer Concentrate)

**Manufacturer's Part Number:** \*Please refer to Section 16

**Recommended Use:** Dilute 1:10 for manual or pressure washer application to home exteriors

**Restrictions on Use:** Do not use on non-rinsable surfaces.

**Company:** Sunshine Makers, Inc. **Telephone:** 800-228-0709 ● 562-795-6000 *Mon – Fri, 8am – 5pm PST* 

15922 Pacific Coast Highway **Fax:** 562-592-3830

Huntington Beach, CA 92649 USA **Email:** <u>info@simplegreen.com</u>

**Emergency Phone:** Chem-Tel 24-Hour Emergency Service: 800-255-3924

### Section 2: HAZARDS IDENTIFICATION

This product is classified as hazardous (Eye Corrosion/Irritation – Category 2A) under 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200).

OSHA HCS 2012 Label Elements

Signal Word: Warning Hazard Symbol(s)/Pictogram(s):



#### **Hazard Statements:**

H319 – Causes serious eye irritation.

### **Precautionary Statements:**

P264 – Wash hands thoroughly after handling.

P280 – Wear eye protection. Wear protective gloves (when handling the concentrate).

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye irritation persists: Get medical attention.

Hazards Not Otherwise Classified (HNOC): None

Other Information: None Known

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	CAS Number	Percent Range
Water	7732-18-5	> 88.99%*
Ethoxylated Alcohol	68439-46-3	< 5%*
Sodium Citrate	6132-04-3	< 1%*
Sodium Carbonate	497-19-8	< 1%*
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-	61789-39-7	< 1%*
dimethyl-, N-coco acyl derivatives, chlorides, sodium		
salts		
Alkyl imino dipropionic acid, monosodium salt	Proprietary	< 1%*
Quaternary Ammonium Chloride	7173-51-5	< 1%*
Ethanol	64-17-5	< 1%*
Colorant**	Proprietary	< 0.01%*

\*specific percentages of composition are being withheld as a trade secret \*\*Colorant only found in certain items, please see section 16

Version No. 18201-15A Issue Date: November 24, 2015 Supersedes Date: October 8,2014 OSHA HCS-2012 / GHS

**Section 4: FIRST-AID MEASURES** 

**Inhalation:** Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.

**Skin Contact:** Not expected to cause skin irritation. If adverse effect occurs, move to fresh air.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical attention.

**Ingestion:** May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

### Section 5: FIRE-FIGHTING MEASURES

**Suitable & Unsuitable Extinguishing Media:** Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.

**Specific Hazards Arising from Chemical:** In event of fire, fire created carbon oxides may be formed.

**Special Protective Actions for Fire-Fighters:** Wear positive pressure self-contained breathing apparatus; Wear full protective

clothing.

This product is non-flammable. See Section 9 for Physical Properties.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures:

<u>For non-emergency personnel:</u> See section 8 – personal protection. <u>For emergency responders:</u> Avoid eye contact. Use safety goggles.

Environmental Precautions: Do not allow into open waterways and ground water systems.

**Methods and Materials for Containment and Clean Up:** Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

### Section 7: HANDLING AND STORAGE

**Precautions for Safe Handling:** Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

**Conditions for Safe Storage including Incompatibilities:** Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 95°F (35°C) or freezing temperatures.

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Limit Values:** Ethanol 64-17-5 1000 ppm TWA; 1900 mg/m3

**Appropriate Engineering Controls:** Showers, eyewash stations, ventilation systems

#### Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.

Respiratory: Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.

Skin Contact: Use protective gloves (any material.)

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Version No. 18201-15A Issue Date: November 24, 2015 Supersedes Date: October 8,2014 OSHA HCS-2012 / GHS

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Colorless or Turquoise Liquid Partition Coefficient: n-octanol/water: Not determined

Odor: No added fragrance Autoignition Temperature: Non-flammable

Odor Threshold: Not determined Decomposition Temperature: 95°F

**pH:** 10.0-11.5 **Viscosity:** Like water

Freezing Point:  $0^{\circ}C(32^{\circ}F)$  Specific Gravity: 1.00 - 1.02

**Boiling Point & Range:** 101°C (213.8°F) **VOCs:** \*\*Water & fragrance exemption in calculation

Flash Point: > 212°F SCAQMD 304-91 / EPA 24: Not tested

**Evaporation Rate:** Not determined CARB Method 310\*\*: 3.6 g/L 0.03 lb/gal 0.36%

Flammability (solid, gas): Not applicable SCAQMD Method 313: Not tested

 Upper/Lower Flammability or Explosive Limits:
 Not applicable
 VOC Composite Partial Pressure:
 Not determined

 Vapor Pressure:
 Not determined
 Relative Density:
 8.34 – 8.50

Vapor Density: Not determined Solubility: 100% in water

### Section 10: STABILITY AND REACTIVITY

**Reactivity:** Non-reactive.

Chemical Stability: Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).

Possibility of Hazardous Reactions: Hazardous gases may occur from contact with ammoniated or chlorinated products.

**Conditions to Avoid:** Excessive heat or cold.

**Incompatible Materials:** Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.

Hazardous Decomposition Products: Normal products of combustion - CO, CO2.

# Section 11: TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Inhalation - Overexposure may cause headache.

Skin Contact - Not expected to cause irritation, repeated contact may cause dry skin.

Eye Contact - Causes serious eye irritation. Ingestion - May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

**Numerical Measures of Toxicity** 

Acute Toxicity: Oral LD<sub>50</sub> (rat) > 5 g/kg body weight

Dermal LD<sub>50</sub> (rabbit) > 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

**Skin Corrosion/Irritation:** Non-irritant per Dermal Irritection® assay modeling. No animal testing performed.

**Eye Damage/Irritation:** Causes serious eye irritation per Ocular Irritection® assay modeling. No animal testing performed.

Germ Cell Mutagenicity:

Carcinogenicity:

Mixture does not classify under this category.

## Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of

Classification and Labelling of Chemicals.

Version No. 18201-15A Issue Date: November 24, 2015 Supersedes Date: October 8,2014 OSHA HCS-2012 / GHS

# Section 12: ECOLOGICAL INFORMATION - continued

**Aquatic:** Not tested on finished formulation. **Terrestrial:** Not tested on finished formulation.

Persistence and Degradability: Inherently Biodegradable formula: >60% degradation in 28 days, with maximum tested 90%

degradation in 54 days (OECD 301D)

Bioaccumulative Potential:No data available.Mobility in Soil:No data available.Other Adverse Effects:No data available.

#### Section 13: DISPOSAL CONSIDERATIONS

**Unused or Used Liquid:** May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

**Empty Containers:** May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

## Section 14: TRANSPORT INFORMATION

U.N. Proper Shipping Name: Cleaning Compound, Liquid NOI

Transport Hazard Class(es):Not applicableNMFC Number:48580-3Packing Group:Not applicableClass:Not applicable

**Environmental Hazards:** Marine Pollutant - NO

Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code): Unknown.

Special precautions which user needs to be aware of/comply with, in connection None known.

with transport or conveyance either within or outside their premises:

U.S. (DOT) / Canadian TDG: Not Regulated for shipping. ICAO/ IATA: Not classified as Hazardous IMO / IDMG: Not classified as Hazardous ADR/RID: Not classified as Hazardous

## **Section 15: REGULATORY INFORMATION**

All components are listed on: TSCA and DSL Inventory.

**SARA Title III:** Sections 311/312 Hazard Categories – Not applicable.

Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable.

Sections 302 – Not applicable.

Clean Air Act (CAA): Ethanol 64-17-5

Clean Water Act (CWA): Not applicable

<u>State Right To Know Lists:</u> Didecyl Dimethyl ammonium chloride New Jersey

Ethanol Pennsylvania, Massachusetts

<u>California Proposition 65:</u> No ingredients listed

**Texas ESL:** 

Ethanol 64-17-5 1000 ppb;  $1880 \,\mu\text{g/m}^3 \,\text{long term}$  10000 ppb;  $18800 \,\mu\text{g/m}^3 \,\text{short term}$  Sodium Carbonate 497-19-8 5  $\mu\text{g/m}^3 \,\text{long term}$  50  $\mu\text{g/m}^3 \,\text{short term}$ 

Ethoxylated Alcohol 68439-46-3 60  $\mu$ g/m³ long term 600  $\mu$ g/m³ short term Quaternary Ammonium Chloride 7173-51-1 10  $\mu$ g/m³ long term 100  $\mu$ g/m³ short term

Version No. 18201-15A Issue Date: November 24, 2015 Supersedes Date: October 8,2014 OSHA HCS-2012 / GHS

## **Section 16: OTHER INFORMATION**

<u>Size</u>	<u>Item Number</u>	<u>UPC</u>
1 Gallon	2300000118201	043318182013
1 Gallon, 4 per case	18201 & 2310000418201 & 2380100418201	043318182013
1 Gallon	2300000118215	043318182150
1 Gallon**	2300000118208	043318182082
1 Gallon**, 4 per case	18208 & 2310000418208	043318182082
5 Gallon**	18250 & 2300000118250	043318182501
55 Gallon**	18251 & 2300000118251	043318182518

USA items listed only. Not all items listed. USA items may not be valid for international sale.

#### NFPA:

Health – Eye Irritant Stability – Stable Flammability – Non-flammable Special - None



#### **Acronyms**

NTP National Toxicology Program IARC International Agency for Research on Cancer
OSHA Occupational Safety and Health Administration CPSC Consumer Product Safety Commission

TSCA Toxic Substances Control Act DSL Domestic Substances List

**Prepared / Revised By:** Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: Section 12 OECD 301D test data

**DISCLAIMER**: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

<sup>\*\*</sup>Contains colorant