



TITAN

WHY TITAN ELECTRIC SPRAYERS?

Interior and exterior projects – from kitchen cabinets to the block siding of a factory – are profitable only if the work can be done faster than a simple brush and roller. For that you need the kind of power and reliability you have come to depend on from a Titan electric airless sprayer.

Backed by the most powerful warranty in the industry, our sprayers incorporate the durability and reliability you depend on to get interior and exterior projects done quickly and perfectly the first time. Whether your applications include a closet or a full-scale commercial jobsite, we have an electric airless sprayer designed and built for your needs.

ADVANCED PERFORMANCE

- · Our electric airless sprayers, guns, and equipment are built for hard work and long life
- · The latest engineering technology ensures ease of use and dependability
- Our electric airless sprayers meet and exceed the expectations of professionals who want to do the
 job right the FIRST time.

TOTAL RELIABILITY

- · Proven technology you finish every project quickly and profitably
- Superior design and construction maximizes the service life of your electric airless sprayers
- Complete diversity we have the right equipment for every airless application
- · Half a century of getting the job done right TITAN is the name you trust

UNSURPASSED SERVICE

- · Dependable, reliable network of authorized sales and service distributors
- The best customer service in the industry to help you select and maintain your electric airless sprayers, guns, and equipment
- Professional application and service representatives ready to assist you with recommendations and technical support

THE BEST & LONGEST WARRANTY IN THE INDUSTRY

When you purchase TITAN electric airless sprayers or equipment you purchase performance. We stand behind that assurance and are so confident in the quality of our equipment that we offer the best and longest warranty in the industry, including:

- 4-Year Manufacturer's Defects
- · Lifetime Brushless Motor Warranty
- · Limited Lifetime Motor Warranty
- Lifetime Drive Train Warranty
- · 35-Day Satisfaction Guarantee
- Express Parts Program
- WearGuard[™] Convenience Program









IMPACT[™] SERIES

Maximize your investment with the IMPACT Series.

Business is demanding and you need the kind of performance you get from TITAN sprayers. It's time to invest in the expanded features and performance that will make a major IMPACT on your profit margin. Titan IMPACT airless paint sprayers offer the innovation and dependability a contractor needs to perform tough jobs.

Titan IMPACT Series Paint Sprayer

- Quad+ Packings designed to wipe abrasive coatings clean during operation, preventing damage to the piston or the main sealing lip
- AutoOiler™ with the push of a button you deliver oil from the reservoir directly to the packings
- Sureflo[™] Pusher Valve lets you release a stuck lower ball valve without using a hammer (available on select units)
- DigiTrac™ Integrated Digital Display (available on select units)
- DuraLife[™] brushless HE motor (available on select units)
- EZ Tilt™ cart allows for easy clean-up and faster pail changes (available on select units)
- EasyOut[™] fluid section (available on select units)

These high-performance, light, medium, and heavy-duty electric airless paint sprayers are designed for sustained operation on a wide variety of projects, from a single room in a cottage to a warehouse or manufacturing facility. Recommended for serious contractors prepared to invest in long-term performance.



IMPACT 440

Max. Delivery	.54 GPN
Max. Tip Size	.023′
Max. Operating Pressure	3300 PS
Weight (skid frame)	42 lbs
(high rider)	69 lbs
(low rider)	64 lbs
Motor	7/8 hp DCX Motor

CONFIGURATIONS:

Skid 805-000*
 High Rider 805-016*
 Low Rider 805-019*
 *Complete with LX-80[®] qun, 517 TR1[™] reversible

'Complete with LX-80^{II} gun, 517 TR¹™ reversible tip and 1/4" x 50' airless hose.

THE #1 SELLING SPRAYER IN THE INDUSTRY



440 OPTIONAL HOSE REEL

Hose Reel P/N 769-200

HOPPER





IMPACT 540

Max. Delivery	.60 GPM
Max. Tip Size	.024"
Max. Operating Pressure	3300 PSI
Weight (skid frame)	42 lbs.
(high rider)	69 lbs.
(low rider)	64 lbs.
Motor	1.2 hp

- AutoOiler™
- DuraLife[™] brushless HE motor
- Sureflo[™] pusher valve
- · Heavy duty stand
- · Easy load cart

CONFIGURATIONS:

Skid 805-001*
 High Rider 805-006*
 Low Rider 805-003*

*Complete with LX-80 $^{\parallel}$ gun, 517 TR 1 reversible tip and 1/4" x 50' airless hose.

IMPACT[™] 640

The IMPACT 640 continues the climb to increased performance. This mid-range unit is perfect for residential, property maintenance, rental, and light commercial applications and is equipped with digital technology for improved efficiency.

- Features DigiTrac™ Integrated Digital Display that includes an anti-theft lock
- · Designed to consistently spray 75-150 gallons per week
- · Ideal for applying stains, lacquers, enamels, latex, and other low and medium viscosity coatings

Recommended for small and medium residential and commercial projects.



DIGITRAC™ INTEGRATED DIGITAL DISPLAY



- Includes anti-theft lock to protect
- User preset keys
- Pressure reading
- Resettable gallon and run time counter
- Programmable service time (hour meter) available on loaded sprayers and as an accessory



Consistent pressure. Zero deadband.

SUREFLO™ PUSHER VALVE



For easy start - No hammers required and easy prime





Easy Load Cart

Clean back loads in and out of vehicles easily

DuraLife™

Brushless HE Motor Optimized for every tip size and every painter's technique



IMPACT 640

Max. Delivery	.70 GPM
Max. Tip Size	.027″
Max. Operating Pressure	3300 PSI
Weight (skid frame)	42 lbs.
(high rider)	69 lbs.
(low rider)	64 lbs.
Motor	1.55 hp

- Auto0iler™
- DuraLife[™] brushless HE motor
- DigiTrac[™] control
- · Heavy duty stand
- · Easy load cart
- Sureflo[™] pusher valve
- · Semi pneumatic tires

CONFIGURATIONS:

805-002* Skid

· High Rider 805-004*

· Low Rider 805-005*

*Complete with LX-80^{II} gun, 517 TR¹ reversible tip and 1/4" x 50' airless hose.

Auto0iler™

delivers oil to

IMPACT[™] 740



IMPACT 740

Max. Delivery	.80 GPM
Max. Tip Size	.029"
Max. Operating Pressure	3300 PSI
Weight (high rider)	87 lbs.
(low rider)	85 lbs.
Motor	2.0 hp

- DuraLife[™] brushless HE motor
- Auto0iler™
- · Fast removal fluid section

CONFIGURATIONS:

• High Rider 805-007*

• Low Rider 805-008*

*Complete with LX-80 $^{\circ}$ gun, 517 TR 1 reversible tip and 1/4" x 50' airless hose.



IMPACT 840

Max. Delivery	1.0 GPM
Max. Tip Size (1 gun)	.032"
(2 guns)	.021″
Max. Operating Pressure	3300 PSI
Weight (high rider)	87 lbs.
(low rider)	85 lbs.
Motor	2.3 hp

- DuraLife[™] brushless HE motor
- AutoOiler™
- DigiTrac[™] control
- · Fast removal fluid section

CONFIGURATIONS:

• High Rider 805-009*

• Low Rider 805-010*

*Complete with LX-80 $^{\circ}$ gun, 517 TR 1 reversible tip and 1/4" x 50' airless hose.

IMPACT[™] 1140

For big projects requiring large tip sizes or more than one spray gun operating from a single unit, you can rely on the power and performance of the IMPACT 1140. This workhorse is perfect for large residential, commercial and industrial applications where speed and power are necessary to get the job done faster and with greater efficiency.



IMPACT 1140

1.20 GPM
.034′
.023′
3300 PSI
107 lbs.
104 lbs
2.6 hp

- DuraLife[™] brushless HE motor
- Auto0iler™
- DigiTrac[™] control
- EZ Tilt™ cart
- EasyOut[™] fluid section
- Telescoping handle
- 12" Pneumatic tires

CONFIGURATIONS:

High Rider 805-011*

• Low Rider 805-012*

*Complete with LX-80 $^{\circ}$ gun, 517 TR $^{\circ}$ reversible tip and 1/4" x 50' airless hose.

POWRTEX[™] 1200SF

Electric Piston Airless Texture and Paint Sprayer

- Lightest, affordable airless texture sprayer on the market today
- Designed for ready-mix and powdered texture products.
- Sprays skim coat, level 5 finish; drywall mud in an orange peel, splatter or knockdown finish, and all architectural primers and finish-quality paints
- Heavy-duty bypass valve and submersed inlet fluid section uses ceramic balls for smooth, uninterrupted application of joint compound and other abrasive heavy bodied coatings
- Exclusive fluid section design eliminates the need for wearable cylinder
- Full variable-speed pressure control eliminates pressure fluctuations at any pressure setting
- Automatic speed adjustment adapts to the tip size allowing the pump to run slower – downtime and repair costs are minimized and packing life is increased three times longer
- Comes complete with full-size manifold filter for airless paint spraying

POWRTEX 1200SF TEXTURES



Use of included Splatter Nozzle and user supplied air compressor are necessary for creating textured finishes.



POWRTEX 1200SF

Max. Delivery	1.20 GPM
Max. Tip Size	.034"
Max. Operating Pressure	3300 PSI
Weight	97 lbs.
Motor, Electric	2.4 hp



- S-3 Stainless Steel Gun
- Splatter Nozzle
- Two SC-6™ Reversible Tips
- 3/8" x 50' airless hose
- 1/4" x 5' airless whip

ADVANTAGE[™] SERIES

When dependable simplicity means affordable profitability.

Contractors working to build their business want the best value for their hard-earned dollars. That's why we created the TITAN ADVANTAGE Series. These simple, durable, and affordable sprayers are built to work as hard as you do.

Titan ADVANTAGE Series Paint Sprayers

- Designed for simple, user-friendly operation with maximum performance
- Exclusive lifetime warranted DCX Motor is sealed and protected from overspray
- All units feature a time-tested, painter-proven sleeveless fluid section that minimizes repair costs

These durable, high-performance electric paint sprayers are designed for sustained operation on a wide variety of projects – from a single room to a warehouse. Recommended for contractors who want dependability and reliability in a basic and affordable sprayer.





ADVANTAGE 400

Max. Delivery	.47 GPM
Max. Tip Size	.021″
Max. Operating Pressure	3100 PSI
Weight (skid frame)	38 lbs.
(high rider)	59 lbs.
Motor	.75 hp

CONFIGURATIONS:

Skid Frame 0552054*High Rider 0552071*

*Complete with G-10 gun, 517 TR¹ reversible tip and 1/4" x 50' airless hose.



ADVANTAGE 1100

Max. Delivery	1.15 GPM
Max. Tip Size (1 gun)	.033″
(2 guns)	.021″
Max. Operating Pressure	3100 PSI
Weight (high rider)	95 lbs.
Motor	2.20 hp

CONFIGURATIONS:

High Rider 0552068*

*Complete with G-10 gun, $517 \, \text{TR}^1$ reversible tip and $1/4'' \times 50'$ airless hose.



SPECIFICATIONS

	ADVANTAGE 400	IMPACT 440	IMPACT 540	IMPACT 640
Part Number - Skid	0552054	805-000	805-001	805-002
Part Number - High Rider	0552071	805-016	805-006	805-004
Part Number - Low Rider		805-019	805-003	805-005
Max Output (GPM)	.47	.54	.60	.70
Percent Output Increase Over Previous Model	11.9%	14.9%	0.0%	16.7%
Max Tip Size 1-Gun	.021"	.023"	.024"	.027"
2-Guns				
Max. Pressure (PSI)	3100	3300	3300	3300
Electric Motor (HP)	.75 DCX	.875 DCX	1.20 DuraLife Brushless HE	1.55 DuraLife Brushless HE
Max. Hose Length	300'	300'	300'	300'
Max. Cord Length	100'	100'	300'	300'
Power Cord Length - Skid	9'	9'	9′	
Power Cord Length - Cart	9'	9'	15'	15'
Tires - High Rider	10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic
Low Rider		8" Semi-Pneumatic	8" Semi-Pneumatic	8" Semi-Pneumatic
Weight - Skid (lbs)	38	42	42	42
Weight - Cart (lbs)	59	69	69	69
Gun Included	G-10 XL	LX-80	LX-80	LX-80
Reversible Tip Included	517	517	517	517
Airless Hose Included	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'
Repair Kit - Pump	0551533	704-586	704-586	704-586
Manifold Filter - Pump	581-060	730-067	730-067	730-067
Repair Kit - Gun	0296204	580-034	580-034	580-034

THE CONTRACTOR CHOICE FOR ELECTRIC AIRLESS PAINT SPRAYERS

27				
IMPACT 740	IMPACT 840	ADVANTAGE 1100	IMPACT 1140	POWERTEX 1200ss
805-007	805-009	0552068	805-011	600-150
805-008	805-010		805-012	
.80	1.00	1.15	1.20	1.20
14.3%	17.6%	15.0%	20.0%	
.029"	.032"	.033"	.034"	.034"
.017"	.021"	.021"	.023"	.023"
3300	3300	3100	3300	3300
2.00 DuraLifeBrushless HE	2.30 DuraLife Brushless HE	2.00 Brushless LPMDC	2.60 DuraLife Brushless HE	2.4 HP Infinity Plus Brushless (
300'	300'	300'	300'	300'
500'	500'	300'	500'	300'
15'	15'	15'	15'	15'
10" Semi-Pneumatic	10" Semi-Pneumatic	10" Semi-Pneumatic	12" Pneumatic	12" Pneumatic
8" Semi-Pneumatic	8" Semi-Pneumatic		8" Semi-Pneumatic	
99	99	95	107	98
LX-80	LX-80	G-10 XL	LX-80	S-3 w/ Splatter Nozzle
517	517	517	517	427 & 531
1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	3/8"x 50' & 1/4"x 50'
800-273	800-273	0551687	800-273	800-273
730-067	730-067	730-067	730-067	730-067
580-034	580-034	0296204	580-034	0502175



THE BEST & LONGEST WARRANTY IN THE INDUSTRY

Not only do we deliver high quality sprayers, we are proud to back them up with the best and longest warranty in the industry.

Titan sprayers are built to last. We are so confident that our sprayers will hold up to the most difficult jobs that we offer the best and longest warranty in the industry.

4 YEAR MANUFACTURER'S DEFECT

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, tips, etc.

LIFETIME DURALIFE BRUSHLESS HE AND PMDC BRUSHLESS MOTOR WARRANTY

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

LIMITED LIFETIME DCX MOTOR WARRANTY

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

GAS ENGINE WARRANTY

5 year Subaru[®], 3 year Honda[®] and 2 years all others.

2 YEAR TURBINE WARRANTY

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

35-DAY SATISFACTION GUARANTEE

If for any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit towards the purchase of a Titan sprayer of larger size and value.

EXPRESS PARTS PROGRAM

- Over 900 Authorized Service Centers nationwide
- The most common repair parts are guaranteed to be in stock 100% of the time
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

WEARGUARD™ CONVENIENCE PROGRAM

Get up to 80% off a spare fluid section or choose to get a free repacking kit

Advantage 400

\$125^{00*}

Small

\$149⁹⁵*

Impact: 440, 540, 640

Impact Models Include Pusher Valve, Prime Spray Valve, and Manifold Filter Assembly

Medium

\$199^{95*}

Advantage: 1100 **Impact:** 740, 840, 1140 **GPX:** 85, 130, 165, 220 **PowrLiner:** 2850

Large

\$29995*

PowrTwin: 4900 Plus, 6900 Plus, 8900 Plus, 12000 Plus, 6900 Plus DI, 12000 Plus DI **PowrLiner:** 4950, 6950, 8950

PowrTex: 1200SF

Extra Large

\$**599**^{95*}

PowrCoat: 730, 745, 940, 960, 975 Hydra: Pro IV

*Tax not included

For more information about the industry's leading warranty, please call the Titan Technical Service Department at 1-800-526-5362.



All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice.

Visit us on the web at: www.titantool.com Call Tech Services at 1-800-526-5362 for complete warranty information.



Plug into TitanPowerHouse.com

Titan Tool, Inc.

1770 Fernbrook Lane Minneapolis, MN 55447 1-800-526-5362 Fax 1-800-528-4826